

# MATERIAL SAFETY DATA SHEET

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

## 1. PRODUCT AND COMPANY IDENTIFICATION

MSDS Number: 951

Version Date: 3/24/2003

**Product Name:** JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

**Product Use:** Carb and choke cleaner

**Synonyms:** 7450, 7440, 7459, 7460, 7468, 7559, 100083

### Manufacturer

Pennzoil-Quaker State Company  
P.O. Box 2967  
Houston, TX 77252-2967  
USA

### Phone Numbers

**Medical Emergency:** 1-800-546-6040

**Transportation Emergency (USA):** 1-800-535-5053

**Transportation Emergency (International):**

1-352-323-3500 (Call Collect)

**MSDS Assistance:** 1-800-546-6227

**Fax On Demand:** 1-800-546-6227

**Technical Assistance:** 1-800-458-4998

**Customer Service:** 1-800-468-8397

**Fax Number:** 713-217-3181

**Internet Address:** www.MSDS.PZLQS.com

## 2. COMPONENT INFORMATION

Component	CAS No.	Weight Percent Range	Hazardous in Blend
ACETONE	67-64-1	40 - 70	Yes
XYLENE	1330-20-7	15 - 30	Yes
METHYL ETHYL KETONE	78-93-3	2 - 10	Yes
HYDROTREATED LIGHT DISTILLATE	64742-47-8	5 - 15	Yes
PROPANE	74-98-6	5 - 12	Yes
ETHYL BENZENE	100-41-4	1 - 5	Yes

This product is **HAZARDOUS** according to OSHA 29 CFR 1910.1200.

### Hazards:

**Flammable/Combustible**   X   **Acute Toxin**   X   **Chronic Toxin**   X   **Carcinogen**         
**Pressure**   X   **Reactive**        **Exposure Limit**   X   **Target Organ**   X   **Other**       

**Other:** No information available

## 3. HAZARDS IDENTIFICATION

### Emergency and Hazards Overview

DANGER: EXTREMELY FLAMMABLE. CONTENTS UNDER PRESSURE. HARMFUL OR FATAL IF SWALLOWED. VAPOR HARMFUL. EYE IRRITANT.

**NFPA Ratings:** Health   2   Flammability   3   Reactivity   0  

**Primary Route of Exposure:** Skin   X   Inhalation   X   Eye       

### Health Effect Information

**Eye Contact:** Avoid eye contact. This product has not been tested for acute eye hazards. May be irritating to the eyes upon direct contact. Exposure to mists and vapors may be irritating to the eyes. These effects are transient, and complete recovery follows.

**Skin Contact:** This product may cause slight skin irritation upon direct contact. Prolonged or repeated skin contact may result in dryness, chapping, and reddening.

# MATERIAL SAFETY DATA SHEET

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Page 2 of 8

**Inhalation:** This product is not expected to pose an inhalation hazard under conditions of foreseeable use. Caution should be taken to minimize exposure to aerosols/mists of this product. Acute and chronic overexposures may be irritating to the respiratory tract. Inhalation of high concentrations of this product can cause central nervous system depression and narcosis. Severe intoxication may lead to drowsiness, dullness, numbness, and headache followed by dizziness, weakness, and nausea. While affected, the ability to perform skilled tasks is compromised. Exposure to extremely high concentrations may have anesthetic effects but are completely reversible upon cessation of exposure. Intentional misuse by deliberately concentrating and inhaling this product can be harmful or fatal.

**Ingestion:** Not applicable by this route of exposure. Ingestion is unlikely for aerosol products.

**Medical Conditions Aggravated by Exposure:** Drying and chapping may make the skin more susceptible to other irritants, sensitizers and disease.

**Other:** No information available

---

## 4. FIRST AID INFORMATION

**Eye Contact:** Immediately flush eyes with large amounts of water and continue flushing for 15 minutes or until irritation subsides. If irritation persists, seek medical attention.

**Skin Contact:** Wash contaminated area thoroughly with soap and water. Use a hand or skin lotion to prevent dryness. If redness or irritation occurs and persists, seek medical attention.

**Inhalation:** If victim exhibits signs of vapor intoxication remove to fresh air. If discomfort persists seek medical attention. If breathing has stopped or is irregular, administer artificial respiration and supply oxygen if it is available. If victim is unconscious, remove to fresh air and seek immediate medical attention.

**Ingestion:** Ingestion is unlikely for aerosol products. Accidental spraying into the mouth will not result in any harmful effects. No treatment is necessary under ordinary circumstances.

**Notes to Physician:** No information available

**Other:** No information available

---

## 5. FIRE AND EXPLOSION INFORMATION

### Flammable Properties

**Flash Point (aerosol concentrate):** -156 F, -104.4 C

**Test Method:** CPSC 1500.43a

**Flame Extension:** 36" , with flashback

**Test Method:** CPSC 1500.45

### Flammable Limits in Air

**Upper Percent:** 13%

**Lower Percent:** 1%

**Autoignition Temperature:** No data available

**Test Method:** No information available

**NFPA Classification:** Level 3 Aerosol (NFPA 30B)

**Extinguishing Media:** Use water spray (fog), dry chemical, foam, or carbon dioxide.

### Fire Fighting Measures

**Special Fire Fighting Procedures and Equipment:** Water may be ineffective but can be used to cool containers exposed to heat or flame to prevent vapor pressure buildup and possible container rupture.

# MATERIAL SAFETY DATA SHEET

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Page 3 of 8

**Unusual Fire and Explosion Conditions:** DANGER! Contents are under pressure and can explode when exposed to heat or flames. Dense smoke may be generated while burning.

**Hazardous Combustion By-Products:** Carbon monoxide, carbon dioxide, and other oxides may be generated as products of combustion.

**Other:** No information available

---

## 6. ACCIDENTAL RELEASE MEASURES

**Personnel Safeguards:** Remove all sources of ignition. Provide adequate ventilation to remove vapors and mists. Consult Health Effect Information in Section 3, Personal Protection Information in Section 8, Fire and Explosion Information in Section 5, and Stability and Reactivity Information in Section 10.

**Regulatory Notifications:** No notification required

**Containment and Clean up:** No special cleanup procedures are necessary.

**Other:** No information available

---

## 7. HANDLING AND STORAGE INFORMATION

**Handling:** All ignition sources in the area should be controlled. See NFPA 30B, Code for the Manufacture and Storage of Aerosol Products. Contents under pressure and can explode when exposed to heat or open flame. DANGER! Do not puncture or incinerate.

**Storage:** Do not store at temperatures greater than 120 F.

### Empty Container Warnings

**Drums:** Not applicable

**Plastic:** Not applicable

**Other:** For products used under the automobile hood, KEEP AWAY FROM BATTERY TERMINALS.

---

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION INFORMATION

### Exposure Limits and Guidelines

Component	CAS No.	Exposure Limit
ACETONE	67-64-1	OSHA - PEL: TWA 1000 ppm ACGIH - TLV: TWA 750 ppm ACGIH - TLV: STEL 1000 ppm
XYLENE	1330-20-7	OSHA - PEL: TWA 100 ppm ACGIH - TLV: TWA 100 ppm ACGIH - TLV: STEL 150 ppm
METHYL ETHYL KETONE	78-93-3	OSHA - PEL: TWA 200 ppm ACGIH - TLV: TWA 200 ppm ACGIH - TLV: STEL 300 ppm
PROPANE	74-98-6	OSHA - PEL: TWA 1000 ppm
ETHYL BENZENE	100-41-4	OSHA - PEL: TWA 100 ppm ACGIH - TLV: TWA 100 ppm ACGIH - TLV: STEL 125 ppm

# MATERIAL SAFETY DATA SHEET

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Page 4 of 8

## Personal Protective Equipment

**Eye/Face Protection:** Eye protection is not required under conditions of normal use. If material is handled such that it could be sprayed into eyes, wear plastic face shield or splash-proof safety goggles.

**Skin Protection:** Skin protection is not required under conditions of normal use. For prolonged or repeated exposures, use impervious clothing (boots, gloves, aprons, etc.) over parts of the body subject to exposure. Launder soiled clothes.

**Respiratory Protection:** Respiratory protection is not required under conditions of normal use. If excessive levels of mists or vapors are generated while using this product, use an organic vapor respirator. See Section 3, Health Effect Information, Inhalation.

**Personal Hygiene:** Consumption of food and beverage should be avoided in work areas where this product is present. Always wash hands and face with soap and water before eating, drinking, or smoking.

## Engineering Controls / Work Practices

**Ventilation:** General room ventilation is normally sufficient to prevent buildup of hazardous concentrations. Providing adequate ventilation to keep exposure levels below the permissible exposure limits or flammability limits will prevent any physiological effects.

**Other:** No information available

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b> Clear straw color	
<b>Odor:</b> Solvent	<b>Vapor Pressure:</b> 48 psig @ 68 F
<b>Physical state:</b> Liquid	<b>Vapor Density (air=1):</b> 3 - 5
<b>pH:</b> No data available	<b>Percent Volatile by Volume:</b> > 90 %
<b>Boiling Point:</b> Not applicable	<b>Volatile Organic Content:</b> 43 WGT %
<b>Melting Point:</b> Not applicable	<b>Molecular Weight:</b> No data available
<b>Specific Gravity:</b> 0.84	<b>Average Carbon Number:</b> No data available
<b>Pour Point:</b> No data available	<b>Viscosity @ 100 F:</b> No data available
	<b>Viscosity @ 40 C:</b> No data available
<b>Solubility in Water:</b> Moderately soluble in water	
<b>Octanol / Water Coefficient: Log K<sub>ow</sub> =</b> No data available	

## 10. STABILITY AND REACTIVITY INFORMATION

**Chemical Stability:** Stable

**Conditions to Avoid:** Keep away from heat, sparks, open flames and other ignition sources.

**Incompatible Materials to Avoid:** May react with strong oxidizing agents.

**Other:** No information available

## 11. TOXICOLOGICAL INFORMATION

**Primary Eye Irritation:** No information available

**Primary Skin Irritation:** No information available

**Acute Dermal Toxicity:** No information available

# MATERIAL SAFETY DATA SHEET

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Page 5 of 8

**Subacute Dermal Toxicity:** No information available

**Dermal Sensitization:** No information available

**Inhalation Toxicity:** No information available

**Inhalation Sensitization:** No information available

**Oral Toxicity:** No information available

**Mutagenicity:** No information available

**Carcinogenicity:** No information available

**Reproductive and Developmental Toxicity:** No information available

**Teratogenicity:** No information available

**Immunotoxicity:** No information available

**Neurotoxicity:** No information available

**Other:** No information available

---

## 12. ECOLOGICAL INFORMATION

**Aquatic Toxicity:** No information available

**Terrestrial Toxicity:** No information available

**Chemical Fate and Transport:** No information available

**Other:** No information available

---

## 13. DISPOSAL INFORMATION

**Regulatory Information:** Dispose of residual products and empty containers responsibly.

**Waste Disposal Methods:** Waste material may be landfilled or incinerated at an approved facility.

**Other:** No information available

---

## 14. TRANSPORTATION INFORMATION

**U.S. Department of Transportation (DOT)**

**Highway / Rail (Bulk):** NOT APPLICABLE

**Highway / Rail (Non-Bulk):** CONSUMER COMMODITY, ORM-D

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for all shipping descriptions.

# MATERIAL SAFETY DATA SHEET

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Page 6 of 8

## International Information

Vessel: IMDG Regulated:   X   IMDG Not Regulated:         
Air: ICAO Regulated:   X   ICAO Not Regulated:       

Other: No information available

## 15. Regulatory Information

**Regulatory Lists Searched:** The components listed in Section 2 of this MSDS were compared to substances that appear on the following regulatory lists. Each list is numerically identified. See Regulatory Search Results below.

**Health & Safety:** 10 - IARC carcinogen, 11 - NTP carcinogen, 12 - OSHA carcinogen, 15 - ACGIH TLV, 16 - OSHA PEL, 17 - NIOSH exposure limit, 20 - US DOT Appendix A, Hazardous substances, 22 - FDA 21 CFR Total food additives, 23 - NFPA 49 or 325

**Environmental:** 30 - CAA 1990 Hazardous air pollutants, 31 - CAA Ozone depleters, 33 - CAA HON rule, 34 - CAA Toxic substance for accidental release prevention, 35 - CAA Volatile organic compounds (VOC's) in SOCM, 41 - CERCLA / SARA Section 302 extremely hazardous substances, 42 - CERCLA / SARA Section 313 emissions reporting, 43 - CWA Hazardous substances, 44 - CWA Priority pollutants, 45 - CWA Toxic pollutants, 46 - EPA Proposed test rule for hazardous air pollutants, 47 - RCRA Basis for listing - Appendix VII, 48 - RCRA waste, 49 - SDWA - (S)MCLs

**International:** 50 - Canada - WHMIS Classification of substance, 54 - Mexico - Drinking water - ecological criteria, 55 - Mexico - Wastewater discharges, 56 - US - TSCA Section (12)(b) - export notification

**State Lists:** 60 - CA - Proposition 65, 61 - FL - Substances, 62 - MI - Critical materials, 63 - MA - RTK, 64 - MA - Extraordinarily hazardous substances, 65 - MN - Hazardous substances, 66 - PA - RTK, 67 - NJ - RTK, 68 - NJ - Environmental hazardous substances, 69 - NJ - Special hazardous substances

**Inventories:** 80 - Canada - Domestic substances, 81 - European - EINECS, 82 - Japan - ENCS, 83 - Korea - Existing and evaluated chemical substances, 84 - US - TSCA, 85 - China Inventory

### Regulatory Search Results:

ACETONE: 15, 16, 17, 20, 22, 23, 33, 35, 47, 48, 50, 56, 61, 63, 65, 66, 67, 69, 80, 81, 82, 83, 84, 85  
ETHYL BENZENE: 10, 12, 15, 16, 17, 20, 23, 30, 33, 35, 42, 43, 44, 45, 46, 47, 49, 50, 54, 61, 63, 65, 66, 67, 68, 69, 80, 81, 82, 83, 84, 85  
HYDROTREATED LIGHT DISTILLATE: 80, 81, 83, 84, 85  
METHYL ETHYL KETONE: 15, 16, 17, 20, 22, 23, 30, 33, 35, 42, 47, 48, 50, 61, 63, 65, 66, 67, 68, 69, 80, 81, 82, 83, 84, 85  
PROPANE: 15, 16, 17, 22, 23, 63, 65, 66, 67, 68, 69, 80, 81, 82, 83, 84, 85  
XYLENE: 15, 16, 17, 20, 23, 30, 33, 35, 42, 43, 47, 48, 49, 50, 61, 62, 63, 65, 66, 67, 68, 69, 80, 81, 82, 83, 84, 85

**U.S. TSCA Inventory:** All components of this material are on the US TSCA Inventory.

**SARA Section 313:** Consumer products are not regulated under SARA, Title III, Section 313.

**IARC:** No information available

### SARA 311 / 312 Categories

Acute:   X   Chronic:   X   Fire:   X   Pressure:   X   Reactive:         
Not Regulated:

# MATERIAL SAFETY DATA SHEET

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Page 7 of 8

## Canadian WHMIS Classification

Class A - Compressed gas

Class B - Flammable and Combustible Material, Division 5, Flammable Aerosols

Class D - Poisonous and infectious material, Division 2B, Toxic Material

## European Union Classification

### Hazard Symbols:

Extremely flammable / F+ / flame in square.

"3" Aerosol

Harmful / Xn / X in square.

Dangerous for the environment / N / dead tree and fish in square

### Risk Phrases:

R12: Extremely flammable.

R36: Irritating to eyes.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

R67: Vapours may cause drowsiness and dizziness.

### Safety Phrases:

S2: Keep out of the reach of Children.

S16: Keep away from sources of ignition - No smoking.

S23: Do not breathe gas/fumes/vapour/spray.

S24/25: Avoid contact with skin and eyes.

S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

S61: Avoid release to the environment. Refer to special instructions/Safety data sheet.

**Other:** No information available

---

## 16. OTHER INFORMATION

### Health and Environmental Label Language

Front Label:

DANGER: EXTREMELY FLAMMABLE. CONTENTS UNDER PRESSURE. HARMFUL OR FATAL IF SWALLOWED. VAPOR HARMFUL. EYE IRRITANT.

Read carefully other cautions on back.

Back Label:

DANGER: Contains petroleum solvents, acetone, xylene, organic ketone and hydrocarbon propellant. Prolonged and repeated skin contact may cause drying of skin.

PRECAUTIONARY MEASURES: Do not puncture, incinerate or store above 120 F. Avoid prolonged exposure to sunlight. Keep away from heat, sparks, flames and other ignition sources. Exposure to heat may cause can to burst. Avoid breathing of mists and vapors. Use only in well ventilated areas. Avoid skin and eye contact. Wash thoroughly after handling.

FIRST AID: If swallowed, do not induce vomiting. Call physician immediately. For eye contact, wash thoroughly with water. If inhaled, breathe fresh air.

If not breathing, give artificial respiration. Call physician immediately.

Use only as directed. Intentional misuse by deliberately concentrating and/or inhaling can be harmful or fatal.

KEEP OUT OF REACH OF CHILDREN.

Note: add on top of back panel: Keep away from battery terminals.

# MATERIAL SAFETY DATA SHEET

MSDS Number: 951

JET SPRAY, GUMOUT CARBURETOR AND CHOKE CLEANER

Page 8 of 8

## MSDS Revisions

Previous Version Date: 9/26/2002

## Previous Version Information

Section 2 - Component Information.

Section 9 - Physical & Chemical Properties - VOC limit.

## Other

No information available

## Prepared By:

Pennzoil-Quaker State Company  
Environmental, Safety, Health, & DOT Compliance  
P.O. Box 2967  
Houston, TX 77252-2967 USA

**Disclaimer of Warranty:** The information contained herein is based upon data and information available to us, and reflects our best professional judgement. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, Pennzoil-Quaker State Company must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent. Since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.